

Incremental Ec12 Rotary Encoder 12mm For Auto Washing Machine Rotation Control

Basic Information



EC12C20V01

Taowaves

Carton

12mm TAOWAVES

China

Contact

Rotary Encoder Incremental

Contact Brush Type

Voltage Output

Empty Type

Axle Sleeve Type

- Model NO.:
- Package:
- Installation Form:
- Brand:
- Axonia:
- Transport Package:
- Specification:
- Trademark:
- Origin:
- Type:
- Working Principle:
- Readout Mode:
- Operating System:
- Signal Output:
- Axle Sleeve Type:












Product Description

12mm 3-Pin Encoder Switch with Plastic Handle Rotary Encoder Switch for Audio Devices

EC12C20V01



Incremental Encoder Size: 12mm Switch Travel: Without Pulses: 12/24 Number of detent: 0/12/24 Rotational life: 30000cycles



EC12 Series Product Specifications

| 1.Electrical Characteristics | |
|------------------------------|----------------------|
| Rated voltage: | DC 5V |
| Resolution: | 12/24pulses/360° |
| Insulation resistance: | 100MΩ Min at DC 250V |
| Dielectric strength: | 1 minute at AC300V |
| Phase Difference: | 12≥6.7ms / 24≥3.4ms |
| | |

2.Mechanical Characteristics

| Total ratational angle: | 360°(Endless) |
|-----------------------------|--|
| Detent torque: | 3~15mN.m.(30~150gf.cm) |
| Shaft wobble: | 0.7*L/30mm p-p Max(L: mounting height) |
| Push-Pull Strength of shaft | 8KG |

3.Endurance Characteristics

| Rotational life: | 30,000cycles |
|------------------------------|---------------|
| Operating temperature range: | -30ºC to+80ºC |
| Storage temperature range: | -40ºC to+85ºC |

Our Factory

Company Introduction

Dongguan City Taotao Electronics Co., Ltd, was established in May 2014 and is now located at Weichang Road, Chashan Town, Dongguan City. It has14,000 square meters of standard factory buildings and dormitories, whichhas beautiful environment and convenient transportation. We are a nationalhigh-tech enterprise which professional in designing, manufacturing andselling encoders, potentiometers, switches, sensors, and encoder smart modulesThe components are extensively utilized for white household electricalappliances, small home appliances, smart home appliances, car audio.bluetooth audio,multimedia audio,instrumentation, medical equipmentelectronic cigarettes, computer peripheral communication equipment.aviation model aircraft and other fields.

Taotao has engaged excellent technical R & D personnel in the industryand management personnel with abundant experiences since establishment. They have been developing new products and conducting improvement and upgrading to meet clients' requirements. For guaranteeing the products quality they continuously enhances the percentage of self-production for the key parts. like 100% self-producing for plastic parts and lathing shafts, and invest for developing automatic producing machines and testing instruments.









ENVIRONMENTAL LABORATORY 环境实验室





GENERAL OFFICE 综合办公室



ASSEMBLY WORKSHOP 组装车间

RECEPTION

前台



AUTOMATIC INSPECTION WORKSHOP 自动检测车间



INJECTION MOLDING WORKSHOP 注塑车间



AUTOMATIC WORKSHOP 自动化车间











COMPLETE PRODUCT SPECIFICATIONS SUPPORT CUSTOMIZATION



FQA:

1.What are the advantages of your factory?

Our factory has mold manufacturing workshop, plastic injection molding workshop and lathe center. 80% of the raw materials are supplied by ourselves to ensure that the quality and delivery speed are higher than those of our peers.

2.Do you support customization?

Yes, customization is supported, we need you to provide drawings, usage and requirements.

3.What is your shipping port and the term of payment ?

Ex-work or FOB Shenzhen.

30% paid in advance, 70% balance before shipment by T/T.(First transaction requires 100% payment in advance.)

4.How long is your lead time?

It will take 3workdays for samples,7-15workdays for mass production.

5.Can I get samples from you?

Small amount of samples can be provided for free, but customers need to pay for air freight themselves. 6.What's your MOQ ?

Our MOQ is 2K. If it is a small batch order, the price needs to be increased appropriately.

